**Please fill out this template with modelling inputs for each census ID requested by JAQU in the TD1 report**
**The first two rows contain examples which should be deleted**
**For guidance, see the accompanying document, 'Supplementary guidance on target determination data submissions'**

| Modelled year | Census ID | PCM or Local model | Road number | Note (e.g. Northbound) | Receptor location | | NOx concentration (ug/m$^3$) | Background $NO_2$ concentration (ug/m$^3$) | Annual average daily flow | Average vehicle speed (kph) | | | $NO_x$ calibration factor | $NO_2$ calibration factor | $NO_x$ emissions (g/m/s) | $NO_x$ source apportionment (%) | | | | | | | | | Source apportionment check | f-$NO_2$ | Canyon effect / Piston effect (tunnel) / Elevation (C/P/F/N) | Gradient effect | Fleet composition (%) | | | | | | | | Fleet composition check |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | x | y | | | | Cars (and other vehicles) | Buses/Coaches | HGVs | | | | Petrol cars | Diesel cars | Taxis | Petrol LGVs | Diesel LGVs | Rigid HGVs | Artic HGVs | Buses/Coaches | Motorcycles | Transport contribution from other road links | Background | | | | | Petrol cars | Diesel cars | Black cab taxis | Petrol LGVs | Diesel LGVs | Rigid HGVs | Artic HGVs | Buses and Coaches | Motorcycles | |
| 2022 | 57783 | Local | A500 | NB - AM 07:00 - 10:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 8386.7 | 83.00 | 83.00 | 83.00 | 1.89 | 1.89 | 0.151 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 42.56% | 32.23% | 0.00% | 0.27% | 16.28% | 5.99% | 2.34% | 0.00% | 0.33% | TRUE |
| 2022 | 57783 | Local | A500 | NB - IP 10:00 - 16:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 8414.4 | 68.00 | 68.00 | 68.00 | 1.89 | 1.89 | 0.151 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 45.31% | 34.32% | 0.00% | 0.21% | 12.62% | 5.19% | 2.02% | 0.00% | 0.33% | TRUE |
| 2022 | 57783 | Local | A500 | NB - OP 19:00 - 07:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 16121.7 | 83.00 | 83.00 | 83.00 | 1.89 | 1.89 | 0.151 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 42.56% | 32.23% | 0.00% | 0.27% | 16.28% | 5.99% | 2.34% | 0.00% | 0.33% | TRUE |
| 2022 | 57783 | Local | A500 | NB - PM 16:00 - 19:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 8230.4 | 77.0 | 77.0 | 77.0 | 1.89 | 1.89 | 0.151 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 45.73% | 34.63% | 0.00% | 0.18% | 11.10% | 5.77% | 2.25% | 0.00% | 0.34% | TRUE |
| 2022 | 57783 | Local | A500 | SB - AM 07:00 - 10:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 18467.8 | 85.0 | 85.0 | 85.0 | 1.89 | 1.89 | 0.166 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 43.73% | 33.12% | 0.00% | 0.28% | 17.04% | 3.96% | 1.55% | 0.00% | 0.33% | TRUE |
| 2022 | 57783 | Local | A500 | SB - IP 10:00 - 16:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 7589.3 | 78.0 | 78.0 | 78.0 | 1.89 | 1.89 | 0.166 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 44.94% | 34.04% | 0.00% | 0.19% | 11.29% | 6.62% | 2.58% | 0.00% | 0.34% | TRUE |
| 2022 | 57783 | Local | A500 | SB - OP 19:00 - 07:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 9607.1 | 85.0 | 85.0 | 85.0 | 1.89 | 1.89 | 0.166 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 43.73% | 33.12% | 0.00% | 0.28% | 17.04% | 3.96% | 1.55% | 0.00% | 0.33% | TRUE |
| 2022 | 57783 | Local | A500 | SB - PM 16:00 - 19:00 | 387869.4982 | 343963.4434 | 53 | 15.3 | 10078.7 | 65.0 | 65.0 | 65.0 | 1.89 | 1.89 | 0.166 | 0.38% | 32.20% | 0.15% | 0.44% | 26.45% | 10.00% | 3.90% | 0.00% | 0.09% | 9.21% | 17.17% | TRUE | 0.277336 | N | N | 47.44% | 35.93% | 0.00% | 0.17% | 10.19% | 4.28% | 1.67% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | WB - AM 07:00 - 10:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 8690.7 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.078 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 43.44% | 32.90% | 0.00% | 0.31% | 18.96% | 2.92% | 1.14% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | WB - IP 10:00 - 16:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 2850.8 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.078 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 46.08% | 34.90% | 0.00% | 0.24% | 14.38% | 2.94% | 1.15% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | WB - OP 19:00 - 07:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 4521.0 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.078 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 43.44% | 32.90% | 0.00% | 0.31% | 18.96% | 2.92% | 1.14% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | WB - PM 16:00 - 19:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 4206.5 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.078 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 49.21% | 37.27% | 0.00% | 0.19% | 11.36% | 1.18% | 0.46% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | EB - AM 07:00 - 10:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 3758.9 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.070 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 43.10% | 32.64% | 0.00% | 0.32% | 19.41% | 3.02% | 1.18% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | EB - IP 10:00 - 16:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 7225.7 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.070 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 43.10% | 32.64% | 0.00% | 0.32% | 19.41% | 3.02% | 1.18% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | EB - OP 19:00 - 07:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 3214.3 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.070 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 46.27% | 35.04% | 0.00% | 0.25% | 15.14% | 2.14% | 0.84% | 0.00% | 0.33% | TRUE |
| 2022 | 75421 | Local | A500 | EB - PM 16:00 - 19:00 | 387615.5117 | 343502.7592 | 38 | 15.9 | 3592.8 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.070 | 0.49% | 28.14% | 0.13% | 0.42% | 25.38% | 5.96% | 2.33% | 0.00% | 0.09% | 12.57% | 24.50% | TRUE | 0.291043 | N | N | 46.51% | 35.23% | 0.00% | 0.24% | 14.63% | 2.22% | 0.87% | 0.00% | 0.33% | TRUE |
| 2022 | 60026_HWE | Local | A50 | WB - AM 07:00 - 10:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 8755.6 | 65.0 | 65.0 | 65.0 | 1.89 | 1.89 | 0.120 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 47.63% | 36.08% | 0.00% | 0.14% | 8.35% | 5.37% | 2.10% | 0.00% | 0.34% | TRUE |
| 2022 | 60026_HWE | Local | A50 | WB - IP 10:00 - 16:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 13836.4 | 83.0 | 83.0 | 83.0 | 1.89 | 1.89 | 0.120 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 45.10% | 34.16% | 0.00% | 0.16% | 9.65% | 7.62% | 2.97% | 0.00% | 0.34% | TRUE |
| 2022 | 60026_HWE | Local | A50 | WB - OP 19:00 - 07:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 7197.9 | 83.0 | 83.0 | 83.0 | 1.89 | 1.89 | 0.120 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 45.10% | 34.16% | 0.00% | 0.16% | 9.65% | 7.62% | 2.97% | 0.00% | 0.34% | TRUE |
| 2022 | 60026_HWE | Local | A50 | WB - PM 16:00 - 19:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 7061.1 | 83.0 | 83.0 | 83.0 | 1.89 | 1.89 | 0.120 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 47.51% | 35.98% | 0.00% | 0.12% | 7.24% | 6.33% | 2.47% | 0.00% | 0.34% | TRUE |
| 2022 | 60026_HWE | Local | A50 | EB - AM 07:00 - 10:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 7889.2 | 84.0 | 84.0 | 84.0 | 1.89 | 1.89 | 0.102 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 49.93% | 37.82% | 0.00% | 0.09% | 5.50% | 4.55% | 1.77% | 0.00% | 0.34% | TRUE |
| 2022 | 60026_HWE | Local | A50 | EB - IP 10:00 - 16:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 5292.2 | 87.0 | 87.0 | 87.0 | 1.89 | 1.89 | 0.102 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 45.91% | 34.77% | 0.00% | 0.12% | 7.50% | 8.17% | 3.19% | 0.00% | 0.34% | TRUE |
| 2022 | 60026_HWE | Local | A50 | EB - OP 19:00 - 07:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 6367.3 | 88.0 | 88.0 | 88.0 | 1.89 | 1.89 | 0.102 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 47.52% | 35.99% | 0.00% | 0.16% | 9.44% | 4.72% | 1.84% | 0.00% | 0.33% | TRUE |
| 2022 | 60026_HWE | Local | A50 | EB - PM 16:00 - 19:00 | 388655.5575 | 343694.9472 | 45 | 14.9 | 12239.8 | 88.0 | 88.0 | 88.0 | 1.89 | 1.89 | 0.102 | 0.28% | 20.11% | 0.09% | 0.21% | 12.44% | 5.47% | 2.13% | 0.00% | 0.07% | 40.43% | 18.77% | TRUE | 0.267206 | N | N | 47.52% | 35.99% | 0.00% | 0.16% | 9.44% | 4.72% | 1.84% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | SB - AM 07:00 - 10:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 4206.5 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.077 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 49.21% | 37.27% | 0.00% | 0.19% | 11.36% | 1.18% | 0.46% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | SB - IP 10:00 - 16:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 8690.7 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.077 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 43.44% | 32.90% | 0.00% | 0.31% | 18.96% | 2.92% | 1.14% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | SB - OP 19:00 - 07:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 2850.8 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.077 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 46.08% | 34.90% | 0.00% | 0.24% | 14.38% | 2.94% | 1.15% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | SB - PM 16:00 - 19:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 4521.0 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.077 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 43.44% | 32.90% | 0.00% | 0.31% | 18.96% | 2.92% | 1.14% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | NB - AM 07:00 - 10:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 3592.8 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.069 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 46.51% | 35.23% | 0.00% | 0.24% | 14.63% | 2.22% | 0.87% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | NB - IP 10:00 - 16:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 3214.3 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.069 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 46.27% | 35.04% | 0.00% | 0.25% | 15.14% | 2.14% | 0.84% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | NB - OP 19:00 - 07:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 7225.7 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.069 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 43.10% | 32.64% | 0.00% | 0.32% | 19.41% | 3.02% | 1.18% | 0.00% | 0.33% | TRUE |
| 2022 | 75418 | Local | A500 | NB - PM 16:00 - 19:00 | 387747.8674 | 343654.6656 | 39 | 15.6 | 3758.9 | 89.0 | 89.0 | 89.0 | 1.89 | 1.89 | 0.069 | 0.40% | 23.77% | 0.11% | 0.31% | 18.81% | 6.62% | 2.58% | 0.00% | 0.07% | 23.86% | 23.47% | TRUE | 0.294321 | N | N | 43.10% | 32.64% | 0.00% | 0.32% | 19.41% | 3.02% | 1.18% | 0.00% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | NB - AM 07:00 - 10:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 2499.2 | 36.0 | 36.0 | 36.0 | 1.89 | 1.89 | 0.060 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 48.21% | 36.51% | 0.22% | 0.22% | 13.02% | 1.16% | 0.45% | 0.00% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | NB - IP 10:00 - 16:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 2928.7 | 36.0 | 36.0 | 36.0 | 1.89 | 1.89 | 0.060 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 43.81% | 33.18% | 0.00% | 0.26% | 15.83% | 4.59% | 1.79% | 0.20% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | NB - OP 19:00 - 07:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 5629.9 | 36.0 | 36.0 | 36.0 | 1.89 | 1.89 | 0.060 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 43.81% | 33.18% | 0.00% | 0.26% | 15.83% | 4.59% | 1.79% | 0.20% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | NB - PM 16:00 - 19:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 2842.7 | 32.0 | 32.0 | 32.0 | 1.89 | 1.89 | 0.060 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 47.65% | 36.09% | 0.00% | 0.18% | 11.06% | 3.26% | 1.27% | 0.15% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | SB - AM 07:00 - 10:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 5989.6 | 27.0 | 27.0 | 27.0 | 1.89 | 1.00 | 0.067 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 46.55% | 35.26% | 0.00% | 0.21% | 12.79% | 3.43% | 1.34% | 0.09% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | SB - IP 10:00 - 16:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 3115.9 | 27.0 | 27.0 | 27.0 | 1.89 | 1.89 | 0.067 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 46.55% | 35.26% | 0.00% | 0.21% | 12.79% | 3.43% | 1.34% | 0.09% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | SB - OP 19:00 - 07:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 3135.9 | 23.0 | 23.0 | 23.0 | 1.89 | 1.89 | 0.067 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 50.74% | 38.43% | 0.00% | 0.15% | 8.84% | 0.98% | 0.38% | 0.15% | 0.33% | TRUE |
| 2022 | 60026_LA | Local | A50 | SB - PM 16:00 - 19:00 | 389528.9926 | 343853.8264 | 34 | 13.8 | 1857.2 | 27.0 | 27.0 | 27.0 | 1.89 | 1.89 | 0.067 | 0.48% | 27.32% | 0.12% | 0.25% | 15.12% | 6.49% | 2.53% | 0.78% | 0.06% | 19.73% | 27.11% | TRUE | 0.265677 | N | N | 41.15% | 31.17% | 0.00% | 0.30% | 18.29% | 6.05% | 2.36% | 0.34% | 0.33% | TRUE |
| 2022 | 16501 | Local | A50 | Two-way - AM 07:00 - 10:00 | 389273.5865 | 344897.3237 | 46 | 15.4 | 3861.0 | 25.0 | 25.0 | 25.0 | 1.89 | 1.89 | 0.126 | 2.32% | 30.12% | 0.14% | 0.34% | 20.40% | 7.06% | 2.76% | 4.64% | 0.04% | 9.40% | 22.79% | TRUE | 0.257717 | N | N | 43.46% | 32.56% | 0.29% | 0.27% | 17.28% | 3.72% | 1.45% | 0.55% | 0.33% | TRUE |
| 2022 | 16501 | Local | A50 | Two-way - IP 10:00 - 16:00 | 389273.5865 | 344897.3237 | 46 | 15.4 | 4534.9 | 25.0 | 25.0 | 25.0 | 1.89 | 1.89 | 0.126 | 2.32% | 30.12% | 0.14% | 0.34% | 20.40% | 7.06% | 2.76% | 4.64% | 0.04% | 9.40% | 22.79% | TRUE | 0.257717 | N | N | 49.31% | 37.35% | 0.00% | 0.18% | 11.00% | 0.90% | 0.35% | 0.58% | 0.33% | TRUE |
| 2022 | 16501 | Local | A50 | Two-way - OP 19:00 - 07:00 | 389273.5865 | 344897.3237 | 46 | 15.4 | 10170.9 | 25.0 | 25.0 | 25.0 | 1.89 | 1.89 | 0.126 | 2.32% | 30.12% | 0.14% | 0.34% | 20.40% | 7.06% | 2.76% | 4.64% | 0.04% | 9.40% | 22.79% | TRUE | 0.257717 | N | N | 43.93% | 33.27% | 0.00% | 0.27% | 16.21% | 3.79% | 1.48% | 0.73% | 0.33% | TRUE |
| 2022 | 16501 | Local | A50 | Two-way - PM 16:00 - 19:00 | 389273.5865 | 344897.3237 | 46 | 15.4 | 5291.0 | 25.0 | 25.0 | 25.0 | 1.89 | 1.89 | 0.126 | 2.32% | 30.12% | 0.14% | 0.34% | 20.40% | 7.06% | 2.76% | 4.64% | 0.04% | 9.40% | 22.79% | TRUE | 0.257717 | N | N | 43.93% | 33.27% | 0.00% | 0.27% | 16.21% | 3.79% | 1.48% | 0.73% | 0.33% | TRUE |
| 2022 | 28732 | Local | A53 | Two-way - AM 07:00 - 10:00 | 386019.8546 | 346598.5347 | 43 | 14.9 | 4686.0 | 17.0 | 17.0 | 17.0 | 1.89 | 1.89 | 0.112 | 1.95% | 35.63% | 0.16% | 0.26% | 15.76% | 6.76% | 2.64% | 1.32% | 0.05% | 13.22% | 22.25% | TRUE | 0.261847 | C | Y | 48.44% | 36.68% | 0.20% | 0.19% | 11.27% | 1.86% | 0.73% | 0.51% | 0.33% | TRUE |
| 2022 | 28732 | Local | A53 | Two-way - IP 10:00 - 16:00 | 386019.8546 | 346598.5347 | 43 | 14.9 | 3060.6 | 16.0 | 16.0 | 16.0 | 1.89 | 1.89 | 0.112 | 1.95% | 35.63% | 0.16% | 0.26% | 15.76% | 6.76% | 2.64% | 1.32% | 0.05% | 13.22% | 22.25% | TRUE | 0.261847 | C | Y | 46.84% | 35.48% | 0.00% | 0.21% | 12.99% | 2.53% | 0.99% | 0.63% | 0.33% | TRUE |
| 2022 | 28732 | Local | A53 | Two-way - OP 19:00 - 07:00 | 386019.8546 | 346598.5347 | 43 | 14.9 | 4200.5 | 16.0 | 16.0 | 16.0 | 1.89 | 1.89 | 0.112 | 1.95% | 35.63% | 0.16% | 0.26% | 15.76% | 6.76% | 2.64% | 1.32% | 0.05% | 13.22% | 22.25% | TRUE | 0.261847 | C | Y | 49.89% | 37.79% | 0.00% | 0.14% | 8.37% | 2.21% | 0.86% | 0.41% | 0.33% | TRUE |
| 2022 | 28732 | Local | A53 | Two-way - PM 16:00 - 19:00 | 386019.8546 | 346598.5347 | 43 | 14.9 | 9008.0 | 17.0 | 17.0 | 17.0 | 1.89 | 1.89 | 0.112 | 1.95% | 35.63% | 0.16% | 0.26% | 15.76% | 6.76% | 2.64% | 1.32% | 0.05% | 13.22% | 22.25% | TRUE | 0.261847 | C | Y | 48.44% | 36.68% | 0.00% | 0.19% | 11.27% | 1.86% | 0.73% | 0.51% | 0.33% | TRUE |
| 2022 | 6545 | Local | A53 | Two-way - AM 07:00 - 10:00 | 385965.9967 | 346586.4824 | 41 | 14.7 | 4686.0 | 17.0 | 17.0 | 17.0 | 1.89 | 1.89 | 0.111 | 2.21% | 34.58% | 0.16% | 0.25% | 15.20% | 6.29% | 2.46% | 1.35% | 0.05% | 14.18% | 23.28% | TRUE | 0.263715 | C | Y | 48.44% | 36.68% | 0.00% | 0.19% | 11.27% | 1.86% | 0.73% | 0.51% | 0.33% | TRUE |
| 2022 | 6545 | Local | A53 | Two-way - IP 10:00 - 16:00 | 385965.9967 | 346586.4824 | 41 | 14.7 | 3060.6 | 16.0 | 16.0 | 16.0 | 1.89 | 1.89 | 0.111 | 2.21% | 34.58% | 0.16% | 0.25% | 15.20% | 6.29% | 2.46% | 1.35% | 0.05% | 14.18% | 23.28% | TRUE | 0.263715 | C | Y | 46.84% | 35.48% | 0.00% | 0.21% | 12.99% | 2.53% | 0.99% | 0.63% | 0.33% | TRUE |
| 2022 | 6545 | Local | A53 | Two-way - OP 19:00 - 07:00 | 385965.9967 | 346586.4824 | 41 | 14.7 | 4200.5 | 16.0 | 16.0 | 16.0 | 1.89 | 1.89 | 0.111 | 2.21% | 34.58% | 0.16% | 0.25% | 15.20% | 6.29% | 2.46% | 1.35% | 0.05% | 14.18% | 23.28% | TRUE | 0.263715 | C | Y | 49.89% | 37.79% | 0.00% | 0.14% | 8.37% | 2.21% | 0.86% | 0.41% | 0.33% | TRUE |
| 2022 | 6545 | Local | A53 | Two-way - PM 16:00 - 19:00 | 385965.9967 | 346586.4824 | 41 | 14.7 | 9008.0 | 17.0 | 17.0 | 17.0 | 1.89 | 1.89 | 0.111 | 2.21% | 34.58% | 0.16% | 0.25% | 15.20% | 6.29% | 2.46% | 1.35% | 0.05% | 14.18% | 23.28% | TRUE | 0.263715 | C | Y | 48.44% | 36.68% | 0.00% | 0.19% | 11.27% | 1.86% | 0.73% | 0.51% | 0.33% | TRUE |
| 2022 | 46553 | Local | A5008 | Two-way - AM 07:00 - 10:00 | 388624.7666 | 347612.7403 | 42 | 16.1 | 2807.5 | 30.0 | 30.0 | 30.0 | 1.89 | 1.89 | 0.089 | 1.44% | 20.94% | 0.10% | 0.15% | 9.04% | 2.90% | 1.13% | 12.43% | 0.03% | 24.81% | 27.03% | TRUE | 0.223839 | C | N | 48.71% | 36.89% | 0.00% | 0.15% | 9.10% | 2.00% | 0.78% | 2.05% | 0.33% | TRUE |
| 2022 | 46553 | Local | A5008 | Two-way - IP 10:00 - 16:00 | 388624.7666 | 347612.7403 | 42 | 16.1 | 3017.7 | 26.0 | 26.0 | 26.0 | 1.89 | 1.89 | 0.089 | 1.44% | 20.94% | 0.10% | 0.15% | 9.04% | 2.90% | 1.13% | 12.43% | 0.03% | 24.81% | 27.03% | TRUE | 0.223839 | C | N | 49.69% | 37.63% | 0.13% | 0.13% | 7.98% | 1.39% | 0.54% | 2.31% | 0.33% | TRUE |
| 2022 | 46553 | Local | A5008 | Two-way - OP 19:00 - 07:00 | 388624.7666 | 347612.7403 | 42 | 16.1 | 3212.2 | 28.0 | 28.0 | 28.0 | 1.89 | 1.89 | 0.089 | 1.44% | 20.94% | 0.10% | 0.15% | 9.04% | 2.90% | 1.13% | 12.43% | 0.03% | 24.81% | 27.03% | TRUE | 0.223839 | C | N | 47.81% | 36.21% | 0.00% | 0.16% | 9.72% | 1.90% | 0.74% | 3.13% | 0.32% | TRUE |
| 2022 | 46553 | Local | A5008 | Two-way - PM 16:00 - 19:00 | 388624.7666 | 347612.7403 | 42 | 16.1 | 6174.8 | 28.0 | 28.0 | 28.0 | 1.89 | 1.89 | 0.089 | 1.44% | 20.94% | 0.10% | 0.15% | 9.04% | 2.90% | 1.13% | 12.43% | 0.03% | 24.81% | 27.03% | TRUE | 0.223839 | C | N | 47.81% | 36.21% | 0.00% | 0.16% | 9.72% | 1.90% | 0.74% | 3.13% | 0.32% | TRUE |
| 2022 | 75422 | Local | A50 | WB - AM 07:00 - 10:00 | 391121.9677 | 343069.4884 | 39 | 12.8 | 5394.1 | 74.0 | 74.0 | 74.0 | 1.89 | 1.89 | 0.096 | 0.24% | 23.06% | 0.11% | 0.21% | 12.78% | 5.42% | 2.12% | 0.00% | 0.06% | 35.70% | 20.31% | TRUE | 0.266216 | N | N | 46.54% | 35.25% | 0.00% | 0.12% | 7.34% | 7.49% | 2.92% | 0.00% | 0.34% | TRUE |
| 2022 | 75422 | Local | A50 | WB - IP 10:00 - 16:00 | 391121.9677 | 343069.4884 | 39 | 12.8 | 5355.1 | 78.0 | 78.0 | 78.0 | 1.89 | 1.89 | 0.096 | 0.24% | 23.06% | 0.11% | 0.21% | 12.78% | 5.42% | 2.12% | 0.00% | 0.06% | 35.70% | 20.31% | TRUE | 0.266216 | N | N | 43.75% | 33.14% | 0.00% | 0.17% | 10.49% | 8.71% | 3.40% | 0.00% | 0.34% | TRUE |
| 2022 | 75422 | Local | A50 | WB - OP 19:00 - 07:00 | 391121.9677 | 343069.4884 | 39 | 12.8 | 6225.0 | 57.0 | 57.0 | 57.0 | 1.89 | 1.89 | 0.096 | 0.24% | 23.06% | 0.11% | 0.21% | 12.78% | 5.42% | 2.12% | 0.00% | 0.06% | 35.70% | 20.31% | TRUE | 0.266216 | N | N | 46.89% | 35.51% | 0.00% | 0.15% | 9.15% | 5.73% | 2.24% | 0.00% | 0.34% | TRUE |
| 2022 | 75422 | Local | A50 | WB - PM 16:00 - 19:00 | 391121.9677 | 343069.4884 | 39 | 12.8 | 10294.0 | 78.0 | 78.0 | 78.0 | 1.89 | 1.89 | 0.096 | 0.24% | 23.06% | 0.11% | 0.21% | 12.78% | 5.42% | 2.12% | 0.00% | 0.06% | 35.70% | 20.31% | TRUE | 0.266216 | N | N | 43.75% | 33.14% | 0.00% | 0.17% | 10.49% | 8.71% | 3.40% | 0.00% | 0.34% | TRUE |
| 2022 | 75422 | Local | A50 | EB - AM 07:00 - 10:00 | 391121.9677 | 343069.4884 | 39 | 12.8 | 12439.7 | 85.0 | 85.0 | 85.0 | 1.89 | 1.89 | 0.103 | 0.24% | 23.06% | 0.11% | 0.21% | 12.78% | 5.42% | 2.12% | 0.00% | 0.06% | 35.70% | 20.31% | TRUE | 0.266216 | N | N | 47.00% | 35.60% | 0.00% | 0.18% | 10.98% | 4.25% | 1.66% | 0.00% | 0.33% | TRUE |
| 2022 | 75422 | Local | A50 | EB - IP 10:00 - 16:00 | 391121.9677 | 343069.4884 | 39 | 12.8 | 6471.3 | 85.0 | 85.0 | 85.0 | 1.89 | 1.89 | 0.103 | 0.24% | 23.06% | 0.11% | 0.21% | 12.78% | 5.42% | 2.12% | 0.00% | 0.06% | 35.70% | 20.31% | TRUE | 0.266216 | N | N | 47.00% | 35.60% | 0.00% | 0.18% | 10.98% | 4.25% | 1.66% | 0.00% | 0.33% | TRUE |
| 2022 | 75422 | Local | A50 | EB - OP 19:00 - 07:00 | 